SAFETY DATA SHEET



1. Identification

Product Identifier Zipper Powdered Floor Cleaner

Other means of identification

Product code CU-6350

Recommended use Heavy duty powdered floor cleaner.

Recommended restrictions

Manufacturer information

Company name Chemical Universe, Inc.

Address 1133 Saline St.

North Kansas City, MO 64116

Professional use only.

Telephone (816) 471-3602 **Fax** (816) 474-3302

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

None.

Serious eye damage Category 1
Skin corrosion Category 1C

Environmental hazards Not classified.

OSHA defined hazards

Label elements



Signal word Danger

Hazard statement Harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary statement

Prevention Wash hands and exposed skin thoroughly after handling. Do not eat, drink, or smoke when

using this product. Do not breathe dust or mists. Wear protective gloves/protective

clothing/eye protection/face protection.

Response IF SWALLOWED: Immediately call a POISON CENTER/doctor/medical professional. Specific

treatment: See section 4 on the Safety Data Sheet. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Store locked up.

Disposal Dispose of contents/containers in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Sodium metasilicate	6834-92-0	30-40
Sodium carbonate	497-19-8	10-20
Sodium tripolyphosphate	7758-29-4	10-20
2-butoxyethanol	111-76-2	1-2
Other components below reportable levels		30-60

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Neutralize

burns with vinegar. In case of eczema or other skin disorders: Seek medical attention and take

along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so.

Immediately call a physician or transport to hospital.

Ingestion Rinse mouth. Get medical attention immediately. Do not induce vomiting.

Most important

symptoms/effects, acute and

delayed

Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of

breath, respiratory tract irritation or damage.

Indication of immediate medical attention and special

treatment needed

Provide general support measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse. Use with extreme caution.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Fire-fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large spills: Place the material in containers using a broom or shovel. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

 $\label{thm:containers} \textbf{Small spills: Sweep up and put into containers. Clean surface thoroughly to remove residual}$

contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS.

Environmental precautions Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Provide adequate ventilation. Wear appropriate personal protective equipment.

Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section

10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValue2-butoxyethanolPEL50 ppm

US ACGIH Threshold Limit Values

ComponentsTypeValue2-butoxyethanolSTEL20 ppm

Biological limit values

ACGIH Biological Exposure Indices

ComponentsValueDeterminantSpeciesSampling Time2-butoxyethanol200 mg/gCreatinineUrineEnd of shift.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the

appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State Powder

Color Yellow/ light orange.

Odor Characteristic.

Odor threshold Not available.

pH 12-13 (10% solution)Melting/freezing point Not applicable.Initial boiling point and Not applicable.

boiling range

Flash point Not applicable.

Evaporation rate Not available.

Flammability Not available.

Flammability Limits

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1)1.42Solubility in waterSoluble.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use. **Chemical stability** Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

Hazardous polymerization does not occur

Conditions to avoid Avoid storage in elevated temperatures.

Incompatible materials Bases, amines, metals.

Hazardous decomposition

products

Hydrogen. In case of fire see section 5.

11. Toxicological information

Information on likely routes

of exposure

Ingestion Do not ingest. May be harmful if swallowed.

Inhalation Do not inhale. May cause damage to the upper respiratory tract.

Skin contactCan cause severe skin burns.Eye contactCan cause serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

 $\label{lem:coughing} \text{Coughing, wheezing, shortness of breath.}$

Acute toxicity Harmful if swallowed.

Product	Route and Species	LD50		
Zipper Powdered Floor Cleaner (CAS mixture)				
Acute	<i>Oral,</i> rat	1,700 mg/kg estimated		

^{*}Estimates for product may be based on additional component data not shown

Skin corrosion/irritation Can cause severe skin burns.
Serious eye damage/ Can cause serious eye damage.

irritation

Respiratory sensitization Not considered a respiratory sensitizer.

Skin sensitization Not considered a skin sensitizer.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity No data available.

Specific target organ toxicity

May cause damage to the upper respiratory tract with prolonged inhalation.

- single exposure

Specific target organ toxicity

No data available.

repeated exposure

Aspiration hazard No data available.

12. Ecological information

Ecotoxicity

Product	Species	LC ₅₀		
Zipper Powdered Floor Cleaner (CAS mixture)				
Aquatic				
Fish	Fathead minnow	$LC_{50} = 110 \text{ mg/L estimated}$		
Crustacea	Daphnia Magna	$EC_{50} = 145 \text{ mg/L estimated}$		

^{*}Estimates for product may be based on additional component data not shown

Persistence and degradability 2-butoxyethaol is considered readily biodegradable.

Bioaccumulative potential Bioaccumulative potential is low.

Partition coefficient n-octanol/water (log Kow)

Not available.

Mobility in soil No data available.

Other adverse effects May be harmful to plants or wildlife in high concentrations.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings even

after container is emptied.

14. Transport information

DOT

UN number UN1759

UN proper shipping name Corrosive solids, n.o.s. (contains: Disodium trioxosilicate)

Transport hazard class(es)

Class 8
Subsidiary risk Packaging group III
Marine pollutant No

Special precautions for user Read safety instructions, SDS, and emergency procedures before handling.

Transport in bulk according Not intended to be transported in bulk. to Annex II of MARPOL 73/78

and the IBC Code

DOT



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No SARA 313 (TRI reporting)

2-butoxyethanol (Glycol Ether Category)

16. Other information, including date of preparation or last revision

 Issue date
 2/13/2015

 Revision date
 2/13/2015

Version # 1

HMIS® ratings Health: 2

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by

the text.

Revision information First issue