# **SAFETY DATA SHEET**



#### 1. Identification

Product Identifier Heavy Duty Laundry Detergent

Other means of identification

Product code CU-7215

**Recommended use**Built laundry detergent. **Recommended restrictions**Professional use only.

Manufacturer information

Company name Chemical Universe, Inc.

Address 1133 Saline St

North Kansas City MO

64116

**Telephone** (816) 471-3602 **Fax** (816) 474-3302

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

# 2. Hazard(s) Identification

Physical hazards Not classified.

**Health hazards** Acute toxicity, oral Category 5

Skin corrosion Category 1 Eye damage Category 1

Environmental hazards Not listed.

OSHA defined hazards Not listed.

Label elements



Signal word Danger

**Hazard statement** May be harmful if swallowed.

Causes severe skin burns and eye damage.

**Precautionary statement** 

**Prevention** Do not breathe dusts or mists. Wash hands and exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

**Response** Call a POISON CENTER/doctor/medical professional if you feel unwell. IF SWALLOWED:

Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower/ Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor/medical professional. Specific treatment (see section 4 on the Safety Data Sheet.) IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Sodium Hydroxide	1310-73-2	7-12
Alcohol ethoxylate	68439-46-3	1-10
Sodium Xylene Sulfonate	7757-82-6	1-10
Other components below reportable levels		80-100

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Eye contact

Get medical attention. Eye wash stations should be located in work area.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.

Dermatitis. Rash. May cause an allergic skin reaction.

Most important

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

**General information** 

Provide general support measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Fire-fighting

equipment/instructions

Specific methods

General fire hazards

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.

Methods and materials for containment and cleaning up

Caution – spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS.

**Environmental precautions** Do not release into the environment (see section 12). Avoid discharge into areas not

consistent with package labeling.

# 7. Handling and storage

Precautions for safe handling 
Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities

Store in original tightly closed container. Do not store in extreme conditions.

# 8. Exposure controls/personal protection

#### Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

**US ACGIH Threshold Limit Values** 

ComponentsTypeValueSodium hydroxideSTEL2 mg/m³

#### **Biological limit values**

Not established.

Appropriate engineering

Emergency eye wash stations and showers should be readily accessible. Provide natural or

controls

 $mechanical\ ventilation.$ 

Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear long sleeve shirts with pants.

Respiratory protection Respiratory protection not required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

**Appearance** 

Physical State Liquid.
Color Dark blue.
Odor Indistinct.
Odor threshold Not available.

**OH** 14

Melting/freezing point 14°F (-10°C) estimated.

Initial boiling point and

>212°F (100°C)

boiling range

Flash point Not applicable
Evaporation rate Not available.
Flammability Not available.

**Flammability Limits** 

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1) 1.15
Solubility in water Soluble
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

# 10. Stability and reactivity

**Reactivity** This product is stable and non-reactive under normal conditions of use.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames can cause product to decompose. This product will release heat when mixed

with water.

**Incompatible materials** Strong acids, strong bases, strong oxidizing agents.

**Hazardous decomposition** 

products

Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

## 11. Toxicological information

# Information on likely routes

of exposure

**Ingestion** Corrosive to mucous membranes, will damage tissue if there is prolonged contact.

**Inhalation** Expected to be a low inhalation hazard.

**Skin contact** Repeated and/or prolonged skin contact will cause irritation and/or burns.

**Eye contact** Causes severe eye damage. May cause severe corneal injury.

Symptoms related to the physical, chemical and toxicological characteristics

Dermatitis. Rash. May cause an allergic skin reaction.

**Acute toxicity** This product is harmful if swallowed.

Product	Route and Species	LD50
Heavy Duty Laundry Deterg	gent (CAS mixture)	
Acute	Oral, rat	3,875 mg/kg estimated
	Dermal, rabbit	>5.000 mg/kg estimated

<sup>\*</sup>Estimates for product may be based on additional component data not shown

Skin corrosion/irritation Causes severe skin burns.
Serious eye damage/ Causes serious eye damage.

irritation

Respiratory sensitizationNot classified.Skin sensitizationNot classified.

Germ cell mutagenicity Not classified.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity Not classified. Specific target organ toxicity Not classified.

- single exposure

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not considered an aspiration hazard.

## 12. Ecological information

#### **Ecotoxicity**

Product	Species	Test Results
Heavy Duty Laundry Deter	gent (CAS mixture)	
Aquatic		
Crustacea	Daphnia	EC <sub>50</sub> (48hr): 422 mg/L estimated
Fish	Unspecified	LC <sub>50</sub> (96hr): 280 mg/L estimated

<sup>\*</sup>Estimates for product may be based on additional component data not shown

Persistence and degradability Alcohol ethoxylates are considered readily biodegradable.

**Bioaccumulative potential** No data available. Mobility in soil Not available.

Other adverse effects The pH of this product may cause it to be toxic to aquatic and terrestrial organisms.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations. Do

not release to the environment.

Local disposal regulations Dispose in accordance with all applicable regulations

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings even

after container is emptied.

### 14. Transport information

DOT

**UN number** UN1760

**UN proper shipping name** Corrosive Liquids, n.o.s. (Contains: Sodium Hydroxide)

Transport hazard class(es)

Class 8 Subsidiary risk Ш **Packaging group** Marine pollutant No

Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78 Read safety instructions, SDS, and emergency procedures before handling.

Not intended to be transported in bulk.

and the IBC Code

#### DOT



# 15. Regulatory information

### **US federal regulations**

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

#### SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard – No

Reactivity Hazard - No

## SARA 313 (TRI reporting)

Not listed.

# 16. Other information, including date of preparation or last revision

 Issue date
 2/18/2015

 Revision date
 2/18/2015

Version # 1

HMIS® ratings Health: 2

Flammability: 0

Physical hazard: 0

NFPA ratings Health: 2

Flammability: 0

Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by

the text.

**Revision information** First issue